


A Type Distributor



Model	Outlet Num.	Inlet Bore	Outlet Bore	A (mm)	B (mm)	Inlet Bore Ø4 Weight(g)	Inlet Bore Ø6 Weight(g)
A-4	3	Standards Ø6 Ø4 Optional	Ø4	50	35	70	68
A-5	4			65	51	86	83
A-6	5			86	68	110	108
A-7	6			98	80	125	120
A-8	7			115	94	131	127
A-9	8			128	109	158	157
A-10	9			137	123	175	170
A-12	11			167	152	201	200

Special Items							
Model	Outlet Num.	Inlet Bore	Outlet Bore	A (mm)	B (mm)	Inlet Bore Ø4 Weight(g)	Inlet Bore Ø6 Weight(g)
A-700	6	Standards Ø6 Ø4 Optional	Ø4	98	84	124	122
A-8000	7			115	100	136	134
A-900	8			134	115	160	154
A-1000	9			146	132	176	173
DB-12	11			176	164	212	210

◆ Order Code :

A-6 ————— 6 ————— 4

Outlet Num Inlet Bore Outlet Bore

4 : 3 Outlets 4 : Ø4 4 : Ø4

5 : 4 Outlets 6 : Ø6

6 : 5 Outlets

7 : 6 Outlets


8 : 7 Outlets

9 : 8 Outlets

10 : 9 Outlets

12 : 11 Outlets

AE Type Distributor



Model	Outlet Num.	Inlet Bore	Outlet Bore	A (mm)	B (mm)	Inlet Bore Ø4 Weight(g)	Inlet Bore Ø6 Weight(g)
AE-4	5	Standards Ø6 Ø4 Optional	Ø4	48	35	73	71
AE-6	7			65	51	103	101
AE-8	9			83	70	128	124
AE-10	11			97	83	151	148
AE-12	13			112	99	179	171

◆ Order Code :

AE-6 ————— 6 ————— 4

Outlet Num Inlet Bore Outlet Bore

4 : 5 Outlets 4 : Ø4 4 : Ø4

6 : 7 Outlets 6 : Ø6

8 : 9 Outlets



10 : 11 Outlets

12 : 13 Outlets



B Type Adjustable Distributor

B Type Adjustable Distributor/CB Type Anti-Vibration Distributor With Nut





Model	Outlet Num.	Inlet Bore	Outlet Bore	A (mm)	B (mm)	Inlet Bore Ø4 Weight(g)	Inlet Bore Ø6 Weight(g)
B-2	2	Standards Ø6 Ø4 Optional	Standards Ø4 Ø6 Optional	47	37	96	99
B-3	3			62	52	127	130
B-4	4			77	67	159	162
B-5	5			92	82	189	192
B-6	6			107	97	221	224
B-7	7			122	112	251	254
B-8	8			137	127	283	286
B-9	9			152	142	313	316
B-10	10			167	157	343	346
B-11	11			182	172	371	374
B-12	12			197	187	404	407

◆ Order Code :

B-6 **6** **4**
 | | |
 Outlet Num Inlet Bore Outlet Bore
 2 : 2 Outlets 4 : Ø4 4 : Ø4
 to 6 : Ø6
 12 : 12 Outlets

CB Type Anti-Vibration Distributor With Nut




Model	Outlet Num.	Inlet Bore	Outlet Bore	A (mm)	B (mm)	Inlet Bore Ø4 Weight(g)	Inlet Bore Ø6 Weight(g)
CB-2	2	Standards Ø6 Ø4 Optional	Standards Ø4 Ø6 Optional	47	37	101	103
CB-3	3			62	52	134	136
CB-4	4			77	67	166	168
CB-5	5			92	82	198	200
CB-6	6			107	97	230	232
CB-7	7			122	112	263	265
CB-8	8			137	127	295	297
CB-9	9			152	142	315	317
CB-10	10			167	157	362	364
CB-11	11			182	172	375	377
CB-12	12			197	187	410	412

◆ Order Code :

CB-6 **6** **4**
 | | |
 Outlet Num Inlet Bore Outlet Bore
 2 : 2 Outlets 4 : Ø4 4 : Ø4
 to 6 : Ø6 6 : Ø6
 12 : 12 Outlets


AB Type Adjustable Distributor




Model	Outlet Num.	Inlet Bore	Outlet Bore	A (mm)	B (mm)	Inlet Bore Ø4 Weight(g)	Inlet Bore Ø6 Weight(g)
AB-2	2	Standards Ø8 Ø10 Optional	Standards Ø6	60	50	186	200
AB-3	3			80	70	240	255
AB-4	4			100	90	295	310
AB-5	5			120	108	352	367
AB-6	6			140	127	407	421
AB-7	7			160	148	462	476
AB-8	8			180	168	514	528

◆ Order Code :


AB-6 **10** **6**
 | | |
 Outlet Num Inlet Bore Outlet Bore
 2 : 2 Outlets 08 : Ø8 6 : Ø6
 to 10 : Ø10
 8 : 8 Outlets




AE Type Grease Distributor With Parallel Outlet



Model	Outlet Num.	Inlet Bore	Outlet Bore	A (mm)	B (mm)	Weight(g)
AE-41	2	Ø4 (M8)	Ø4	48	35	98
AE-61	3			65	51	129
AE-81	4			83	70	162
AE-101	5			97	83	190
AE-121	6			112	99	222



BB Type Grease Nipple Distributor



Model	Outlet Num.	Inlet Bore	Outlet Bore	A (mm)	B (mm)	Weight(g)
BB-5	5	PT1/8	Ø4	120	108	275
BB-6	6		Ø6	140	127	321
BB-7	7		PT1/8	160	148	380
BB-8	8		180	168	420	

